

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCY
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|----------------|----------------------|-------------------------|------------------|
| 09/500,387 | 02/08/2000 | Ted Chongpi Lee | | 2538 |
| 26291 75 | 590 06/14/2004 | | EXAMINER | |
| MOSER, PATTERSON & SHERIDAN L.L.P. | | | VOLPER, THOMAS E | |
| 595 SHREWSBURY AVE, STE 100 FIRST FLOOR | | ART UNIT | PAPER NUMBER | |
| SHREWSBURY, NJ 07702 | | | 2665 | |
| | | | DATE MAILED: 06/14/2004 | 1 |

Please find below and/or attached an Office communication concerning this application or proceeding.

| <u> </u> | Application No. | Applicant(s) | | | | |
|---|-----------------|------------------|--|--|--|--|
| Advisory Action | 09/500,387 | LEE, TED CHONGPI | | | | |
| navious, nousi. | Examiner | Art Unit | | | | |
| | Thomas Volper | 2665 | | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address | | | | | | |
| THE REPLY FILED 24 May 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. | | | | | | |
| PERIOD FOR REPLY [check either a) or b)] | | | | | | |
| a) The period for reply expiresmonths from the mailing date of the final rejection. | | | | | | |
| b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply original yest in the final Office action; or (2) as set forth in | | | | | | |
| (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | | |
| 1. A Notice of Appeal was filed on Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal. | | | | | | |
| 2. The proposed amendment(s) will not be entered because: | | | | | | |
| (a) they raise new issues that would require further consideration and/or search (see NOTE below); | | | | | | |
| (b) ☐ they raise the issue of new matter (see Note below); | | | | | | |
| (c) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or | | | | | | |
| (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims. NOTE: | | | | | | |
| 3. Applicant's reply has overcome the following reject | ction(s): | | | | | |
| 4. Newly proposed or amended claim(s) would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). | | | | | | |
| 5. ☑ The a) ☐ affidavit, b) ☐ exhibit, or c) ☑ request for reconsideration has been considered but does NOT place the application in condition for allowance because: <u>See Continuation Sheet</u> . | | | | | | |
| 6. The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection. | | | | | | |
| 7. For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. | | | | | | |
| The status of the claim(s) is (or will be) as follows: | | | | | | |
| Claim(s) allowed: | | | | | | |
| Claim(s) objected to: | | | | | | |
| Claim(s) rejected: | | | | | | |
| Claim(s) withdrawn from consideration: | | | | | | |
| 8. The drawing correction filed on is a) approved or b) disapproved by the Examiner. | | | | | | |
| 9. Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s). | | | | | | |
| 10. Other: | | | | | | |
| | | HUY D. VU | | | | |

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Continuation Sheet (PTOL-303) 09/500,387

Continuation of 5, does NOT place the application in condition for allowance because: Applicant's arguments have not overcome the 35 U.S.C. 103(a) rejections of claims 1-12, 13 and 17, and 14-16 set forth in the previous Office action. Regarding the arguments of claims 1-12 and referring to the arguments presented in the previous Office action, Norman teaches the limitation of a "hybrid DCS element" (paragraph 2 of the action). Figure 5 of Norman shows a DCS connection that including a ring terminal, which Norman defines as an add/drop multiplexer. The DCS connection is comprised of DCS devices that provide the connection capability (col. 6, lines 29-52). This DCS connection is a hybrid DCS element insofar as the limitations of the claims provides. Also as stated in the previous action, it is obvious to combine both a DCS management system and a SONET management system (paragraph 2 of the previous action). It is obvious to provide the two management systems because of the hierarchical structure of the combined system. An overall management system such as the DCMS of Norman provides management for the transfer of traffic between and across individual rings. The SONET EMS of Lee is necessary to carry out the normal management functions of a SONET ring, such as alarm monitoring. For the arguments regarding claims 13,17 and 14-16, the Examiner also points to the arguments contained in the previous Office action.